

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	2107	(white calibration) adj (strip member board)	USPAT; US-PGPUB; EPO; JPO	2002/12/19 07:13		
2	BRS	35	(first second two) adj ((white calibration) adj (strip member board))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 09:53		
3	BRS	1	(358/496.ccls. or 358/497.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))	USPAT; US-PGPUB; EPO; JPO	2002/12/21 12:23		
4	BRS	1	(358/496.ccls.) and ((first second two) adj ((white calibration) adj (strip member board)))	USPAT; US-PGPUB; EPO; JPO	2002/12/21 12:24		
5	BRS	15	4907097.URPN.	USPAT	2002/12/21 13:12		
6	BRS	15	4907097.URPN.	USPAT	2002/12/21 13:36		
7	BRS	3	("4578711"   "4622594"   "4717963").PN.	USPAT	2002/12/21 13:37		
8	BRS	1	ADF and (first second two) adj ((white calibration) adj (strip member board))	USPAT; US-PGPUB; EPO; JPO	2002/12/23 11:12		
9	BRS	751	358/406.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
10	BRS	392	358/461.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
11	BRS	1767	358/474.ccls.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:41		
12	BRS	1	358/474.ccls. and ((first second two) adj ((white calibration) adj (strip member board)))	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:43		
13	BRS	1	5864408.pn.	USPAT; US-PGPUB; EPO; JPO	2002/12/23 13:45		
14	BRS	36	(second near5 ((black white) near5 board))	USPAT	2003/06/09 11:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	1	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:52		
16	BRS	1	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) same (light same (intensity quantity bright\$4))	USPAT	2003/06/09 11:42		
17	BRS	101	(reference near5 (board strip)) and ((correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp)) near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:11		
18	BRS	0	6323933.URPN.	USPAT	2003/06/09 11:51		
19	BRS	4	("5146351"   "5745253"   "6088138"   "6122077").PN.	USPAT	2003/06/09 11:51		
20	BRS	1	6032864.pn.	USPAT	2003/06/09 12:11		
21	BRS	1	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3) near5 ((light illuminat\$3 lamp) near5 (intensity quantity bright\$4))	USPAT	2003/06/09 13:51		
22	BRS	1	((second near5 ((black white) near5 board))) and (correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 12:53		
23	BRS	15401	(correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))	USPAT	2003/06/09 16:07		
24	BRS	343	((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4))) and (image adj (reader scanner))	USPAT	2003/06/09 12:55		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
25 BRS	1	((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity (bright\$4))) and (image adj (reader scanner))) and (second near5 ((white black) near5 board))	USPAT	2003/06/09 13:17		
26 BRS	1	5864408.pn.	USPAT	2003/06/09 13:17		
27 BRS	2	5864408.URPN.	USPAT	2003/06/09 13:17		
28 BRS	18	("4958825"   "5075539"   "5077585"   "5100022"   "5104109"   "5313312"   "5379095"   "5485263"   "5513017"   "5523848"   "5537214"   "5537219"   "5638189"   "5717200"   "5856879"   "5864408"   "5878319"   "5909290").PN.	USPAT	2003/06/09 13:39		
29 BRS	1	((second near5 ((black white) near5 board))) and ((light illumination) near7 control)	USPAT	2003/06/09 13:55		
30 BRS	301318	(change vary adjust control) same (light lamp illumination intensity bright\$4)	USPAT	2003/06/09 16:16		
31 BRS	144763	(change vary adjust control) near7 (light lamp illumination intensity bright\$4)	USPAT	2003/06/09 13:59		
32 BRS	1445	((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))	USPAT	2003/06/09 14:00		
33 BRS	1434	((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner))) and (second (black white reference))	USPAT	2003/06/09 14:01		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
34 BRS	97	((change vary adjust control) near7 (light lamp illumination intensity bright\$4)) and (image adj (reader scanner)) and ((second (black white reference)) near7 board))	USPAT	2003/06/09 15:09		
35 BRS	0	difference near7 ((light near7 second) near5 (white adj board))	USPAT	2003/06/09 15:12		
36 BRS	0	difference same ((light near7 second) near5 (white adj board))	USPAT	2003/06/09 15:12		
37 BRS	70	358/475.ccls. and ((correct\$3 adjust\$3 control\$3) near5 (light near5 (intensity quantity bright\$4)))	USPAT	2003/06/09 16:08		
38 BRS	12	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.) and (second near3 (white black))	USPAT	2003/06/09 16:17		
39 BRS	239	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	USPAT	2003/06/10 08:48		
40 BRS	240	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls.	USPAT	2003/06/10 08:49		
41 BRS	0	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near3 (white adj board))	USPAT	2003/06/10 08:51		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
42 BRS	0	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near3 ((white reference black) adj board))	USPAT	2003/06/10 08:52		
43 BRS	1	((change vary adjust control) same (light lamp illumination intensity bright\$4)) and 358/475.ccls. ) and ((first second) near7 ((white reference black) near5 board))	USPAT	2003/06/10 08:53		
44 BRS	7	5249068.URPN.	USPAT	2003/06/10 08:58		
45 BRS	13	("4660082"   "4829379"   "4868685"   "4870501"   "4916549"   "4989100"   "5062144"   "5070414"   "5099341"   "5101281"   "5105286"   "5146351"   "5157518").PN.	USPAT	2003/06/10 09:07		
46 BRS	11	5099341.URPN.	USPAT	2003/06/10 11:57		
47 BRS	1	5099341.pn.	USPAT	2003/06/11 16:49		
48 BRS	1	5099341.pn. and ((first second) near7 (white adj reference))	USPAT	2003/06/11 16:51		
49 BRS	1	5099341.pn.	USPAT	2003/06/13 11:03		
50 BRS	40	(first second two) adj ((white calibration) adj (strip member board))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 09:54		
51 BRS	13	((first second two) adj ((white calibration) adj (strip member board)) ) and ((correct\$3 adjust\$3) same (light\$4 illuminat\$3 lamp bright\$4))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 11:04		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
52 BRS	1	((first second two) adj ((white calibration) adj (strip member board)) ) and ((adjust\$3 control\$4 decrease\$3 increasing) with ((light illumination lamp) near5 (voltage power intensity luminance)))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 11:08		
53 BRS	1	((first second two) adj ((white calibration) adj (strip member board)) ) and ((adjust\$3 control\$4 decrease\$3 increase\$3) with ((light illumination lamp) near5 (voltage power intensity luminance)))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 11:09		
54 BRS	6389	ccd and ((adjust\$3 control\$4 decrease\$3 increase\$3) with ((light illumination lamp) near5 (voltage power intensity luminance)))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 11:09		
55 BRS	4	((first second two) adj ((white calibration) adj (strip member board)) ) and ((adjust\$3 control\$4 decrease\$3 increase\$3) same ((light illumination lamp) near5 (voltage power intensity luminance)))	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:41		
56 BRS	3832	picture adj reader	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:42		
57 BRS	80	(picture adj reader) and flux	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:42		
58 BRS	0	((picture adj reader) and flux) and cannon	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:43		
59 BRS	50	((picture adj reader) and flux) and canon	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:43		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
60	BRS	1	((picture adj reader) and (flux) and canon) and (white adj board)	USPAT; US-PGPUB; EPO; JPO	2003/10/21 12:43		
61	BRS	7257	(reference near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	USPAT	2003/10/22 15:11		
62	BRS	86	((first adj reference) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	USPAT	2003/10/22 15:41		
63	BRS	6	((first adj calibration) near5 (board strip paper chart)) and ((control\$3 correct\$3 adjust\$3) with (light\$3 illuminat\$3 lamp))	USPAT	2003/10/22 15:47		
64	BRS	351	358/475.ccls.	USPAT	2003/10/22 15:48		
65	BRS	288	358/475.ccls. and first and second	USPAT	2003/10/22 15:48		
66	BRS	57	(358/475.ccls. and first and second) and calibrat\$3	USPAT	2003/10/22 15:49		
67	BRS	45	358/475.ccls. and (white adj (reference board plate paper))	USPAT	2003/10/23 08:50		
68	BRS	39	(358/475.ccls. and (white adj (reference board plate paper))) and ((adjust\$3 control\$4) same (power light illumination lamp))	USPAT	2003/10/23 11:08		
69	BRS	1	5099341.pn.	USPAT	2003/10/23 11:10		
70	BRS	1	5099341.pn. and light and adjust\$3 and circuit	USPAT	2003/10/23 11:11		
71	IS&R	2	((("5514864") or ("5864408")).PN.	USPAT	2003/11/18 10:00		
72	BRS	1	5822052.pn.	USPAT	2004/05/12 13:11		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73	BRS	2	5822052.URPN.	USPAT	2004/05/12 13:12		
74	BRS	6	("4680644"   "5212376"   "5278674"   "5285293"   "5592306"   "5636040").PN.	USPAT	2004/05/12 13:13		
75	BRS	13	(shading adj correction) and ((first and second) adj white)	USPAT	2004/05/12 15:05		
76	BRS	9	((shading adj correction) and ((first and second) adj white)) and (gain offset)	USPAT	2004/05/12 15:06		
77	BRS	5	((shading adj correction) and ((first and second) adj white)) and gain	USPAT	2004/05/12 15:06		